

- (a) receiving a plurality of packets at a plurality of analyzers;
- (b) aggregating the plurality of packets;
- (c) analyzing the plurality of packets to identify a plurality of flows;
- (d) identifying a session associated with the flows;
- (e) identifying at least one application associated with the session;
- (f) reconstructing the session utilizing the identified application;
- (g) identifying a user associated with the session,
- (h) determining a policy; and
- (i) billing the user for the session in accordance with the policy.
- 21. The method as recited in claim 20, and further comprising filtering the packets for removing packets unrelated to the session.
- 22. The method as recited in claim 20, and further comprising identifying application events associated with the session based on the policy.
- 23. The method as recited in claim 22, and further comprising assigning a significance to the application events based on the policy.
- 24. The method as recited in claim 22, wherein the user is billed for the session utilizing the application events in accordance with the policy.
- 25. The method as recited in claim 22, and further comprising determining billing information for the session using the application events in accordance with the policy.
- 26. The method as recited in claim 25, and further comprising outputting a report including the billing information in accordance with the policy.
- 27. The method as recited in claim 20, and further comprising restricting tasks of the user in accordance with the policy.

ļ

- 28. The method as recited in claim 27, wherein an amount of bandwidth is restricted in accordance with the policy.
- 29. The method as recited in claim 20, wherein the policy includes a series of packet capture language expressions and output selectors.
- 30. A computer program product for policy-based billing for a network session, comprising:
- (a) computer code for receiving a plurality of packets at a plurality of analyzers;
- (b) computer code for aggregating the plurality of packets;
- (c) computer code for analyzing the plurality of packets to identify a plurality of flows;
- (d) computer code for identifying a session associated with the flows;
- (e) computer code for identifying at least one application associated with the session;
- (f) computer code for reconstructing the session utilizing the identified application;
- (g) computer code for identifying a user associated with the session;
- (h) computer code for determining a policy; and
- (i) computer code for/billing the user for the session in accordance with the policy.
- 31. The computer program product as recited in claim 30, and further comprising computer code for filtering the packets for removing packets unrelated to the session.
- 32. The computer program product as recited in claim 30, and further comprising computer code for identifying application events associated with the session based on the policy.
- 33. The computer program product as recited in claim 32, and further comprising computer code for assigning a significance to the application events based on the policy.

۶

- 34. The computer program product as recited in claim 32, wherein the user is billed for the session utilizing the application events in accordance with the policy.
- 35. The computer program product as recited in claim 32, and further comprising computer code for determining billing information for the session using the application events in accordance with the policy.
- 36. The computer program product as recited in claim 35, and further comprising computer code for outputting a report including the billing information in accordance with the policy.
- 37. The computer program product as recited in claim 30, and further comprising computer code for restricting tasks of the user in accordance with the policy.
- 38. The computer program product as recited in claim 37, wherein an amount of bandwidth is restricted in accordance with the policy.
- 39. The computer program product as recited in claim 30, wherein the policy includes a series of packet capture language expressions and output selectors.
- 40. A method for policy-based billing for a network session, comprising:
- (a) receiving a/plurality of packets at a plurality of analyzers;
- (b) aggregating the plurality of packets;
- (c) analyzing the plurality of packets to identify at least a first flow;
- (d) identifying a session associated with the first flow;
- (e) identifying additional flows in the plurality of packets associated with the session;
- (f) filtering the packets for removing packets unrelated to the session;
- (g) identifying at least one application associated with the session;
- (h) recφnstructing the session utilizing the identified application;
- (i) identifying a user associated with the session;
- (j) identifying a policy;